TECHNICAL REPORT

TR 18047-6

First edition 2006-06-01

Information technology — Radio frequency identification device conformance test methods —

Part 6:

Test methods for air interface communications at 860 MHz to 960 MHz

Technologies de l'information —

Methodes d'essai de conformité du dispositif d'identification de radiofréquence

Partie 6: Méthodes d'essai pour des communications d'une interface d'air à 860 MHz et jusqu'à 960 MHz



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



© ISO/IEC 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Page

Contents

Forewo	ord	iv
Introdu	ıction	v
1	Scope	1
2	Normative references	1
3 3.1 3.2 3.3	Terms, definitions, symbols and abbreviated terms	2 2
4 4.1 4.2	Conformance tests for ISO/IEC 18000-6— 860 to 960 MHz	2
4.3 4.4	Setup of equipment for interrogator tests	3 4
4.5 4.6	Setup of equipment for interrogator tests Functional tests of interrogator Functional tests of tag	7 9
Annex A.1	A (informative) Test measurement site Test sites and general arrangements for measurements involving the use of radiated	16
A.2 A.3 A.4 A.5	fields Guidance on the use of radiation test sites Coupling of signals Standard test position Test fixture	21 23
Annex	B (normative) Command coding for conformance tests for the different types of ISO/IEC 18009-6	27
B.1 B.2	ISO/IEC 18000-6. Command coding for type A Command coding for type B	27 28
Annex	C (normative) Technical performance of the digital oscilloscope	
Annex	D (normative) Technical performance of the spectrum analyser	30
	E (normative) Tag emulator	31
Annex F.1 F.2	F (informative) Measurement examples Tag response time measurement Tag bit rate accuracy measurement	33
Annex	G (normative) Technical performance of the vector signal generator	34
Annex	H (normative) Reference antenna	35
Diblios	renhv	26

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

In exceptional circumstances, the joint technical committee may propose the publication of a Technical Report of one of the following types:

- type 1, when the required support cannot be obtained for the publication of an International Standard, despite repeated efforts;
- type 2, when the subject is still under technical development or where for any other reason there is the future but not immediate possibility of an agreement on an International Standard;
- type 3, when the joint technical committee has collected data of a different kind from that which is normally published as an International Standard ("state of the art", for example).

Technical Reports of types 1 and 2 are subject to review within three years of publication, to decide whether they can be transformed into international Standards. Fechnical Reports of type 3 do not necessarily have to be reviewed until the data they provide are considered to be no longer valid or useful.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC TR 18047-6, which is a Technical Report of type 2, was prepared by Joint Technical Committee ISO/IEC JTC 1, Information technology, Subcommittee SC 31, Automatic identification and data capture techniques.

ISO/IEC TR 18047 consists of the following parts, under the general title *Information technology — Radio frequency identification device conformance test methods*:

- Part 2: Test methods for air interface communications below 135 kHz
- Part 3: Test methods for air interface communications at 13,56 MHz
- Part 4: Test methods for air interface communications at 2,45 GHz
- Part 6: Test methods for air interface communications at 860 MHz to 960 MHz
- Part 7: Test methods for active air interface communications at 433 MHz

Introduction

ISO/IEC 18000 defines the air interfaces for radio frequency identification (RFID) devices used in item management applications. ISO/IEC 18000-6 defines the air interface for these devices operating at frequencies from 860 MHz to 960 MHz.

The purpose of ISO/IEC TR 18047 is to provide test methods for conformance with the various parts of ISO/IEC 18000.

Each part of ISO/IEC TR 18047 contains all measurements required to be made on a product in order to establish whether it conforms to the corresponding part of ISO/IEC 18000. For this part of ISO/IEC TR 18047, each interrogator needs to be assessed for operation with both types A and B, while each tag is only required to support at least one of the types A or B.

It should be noted that measurement of tag and interrogator performance is covered by ISO/IEC TR 18046.



Information technology — Radio frequency identification device conformance test methods —

Part 6:

Test methods for air interface communications at 860 MHz to 960 MHz

1 Scope

This part of ISO/IEC TR 18047 defines test methods for determining the conformance of radio frequency identification devices (tags and interrogators) for item management with the specifications given in ISO/IEC 18000-6, but does not apply to the testing of conformity with regulatory or similar requirements.

The test methods require only that the mandatory functions, and any optional functions which are implemented, be verified. This may, in appropriate circumstances, be supplemented by further, application-specific functionality criteria that are not available in the general case.

The interrogator and tag conformance parameters in this part of ISO/IEC TR 18047 are the following:

- type-specific conformance parameters including nominal values and tolerances;
- parameters that apply directly affecting system functionality and inter-operability.

The following are not included in this part of ISO/IEC TR 18047:

- parameters that are already included in regulatory test requirements;
- high-leyel data encoding conformance test parameters (these are specified in ISO/IEC 15962).

Unless otherwise specified, the tests in this part of ISO/IEC TR 18047 are to be applied exclusively to RFID tags and interrogators defined in ISO/IEC 18000-6.

Clause 4 describes all necessary conformance tests.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

- ISO/IEC 18000-6: Information technology Radio frequency identification for item management Part 6: Parameters for air interface communications at 860 MHz to 960 MHz
- ISO/IEC 19762, (all parts), Information technology Automatic identification and data capture (AIDC) techniques Harmonized vocabulary
- ISBN 92-67-10188-9, 1993, ISO Guide to the expression of uncertainty in measurement