



INTERNATIONAL STANDARD ISO/IEC 10164-12:1994
TECHNICAL CORRIGENDUM 2

Published 1999-11-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

Information technology — Open Systems Interconnection — Systems Management: Test Management Function

TECHNICAL CORRIGENDUM 2

Technologies de l'information — Interconnexion de systèmes ouverts (OSI) — Gestion-systèmes: Fonction de gestion des tests

RECTIFICATIF TECHNIQUE 2

Technical Corrigendum 2 to International Standard ISO/IEC 10164-12:1994 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

INTERNATIONAL STANDARD**ITU-T RECOMMENDATION**

**INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION –
SYSTEMS MANAGEMENT: TEST MANAGEMENT FUNCTION**

TECHNICAL CORRIGENDUM 2

1) Subclause A.1.4

Replace monitoredAttributesPackage PRESENT IF

with "Rec. X.721 | ISO/IEC 10165-2:1992":monitoredAttributesPackage PRESENT IF

Replace proposedRepairActionsPackage PRESENT IF

with "Rec. X.721 | ISO/IEC 10165-2:1992":proposedRepairActionsPackage PRESENT IF

2) Subclause A.2

In requestedWindowPackage change:

**endTime DEFAULT VALUE Test-ASN1Module.defaultEndTime GET-REPLACE
REPLACE-WITH-DEFAULT;**

to:

**endTime REPLACE-WITH-DEFAULT DEFAULT VALUE Test-ASN1Module.defaultEndTime
GET-REPLACE;**

3) Subclause A.3.11

Replace "WITH ATTRIBUTE SYNTAX Test-ASN1Module.TestObjectId"

with "WITH ATTRIBUTE SYNTAX Test-ASN1Module.TestObjectId;"

4) Subclause A.5

In testResultNotification

replace "correlatedNotifications"

with " correlatedNotifications"

5) Subclause A.6

In mORTNotAvailable

replace BEHAVIOUR mORTNotAvailable BEHAVIOUR

with BEHAVIOUR mORTNotAvailableBehaviour BEHAVIOUR

6) Subclause A.7

Before IMPORTS FROM InformationFramework add the following ASN.1 comment Note:

-- NOTE – This Recommendation | International Standard imports DistinguishedName from
 -- CCITT Rec. X.501 (1988) | ISO/IEC 9594-2:1990. The specification for this syntax can now be
 -- found in an informative annex of ITU-T Rec. X.711 (1997) | ISO/IEC 9596-1:1998.

7) Subclause A.7.2

Insert the following before ToBeTestedMORTs:

TestCategoryInformation ::= AdditionalInformation

In ToBeTestedMORTs

replace base [30] SObjectInstance

with base ObjectInstance

(Note that the "[30 S" is formatted in White and hence not visible on the paper copy)

replace Scope DEFAULT baseObject

with Scope DEFAULT namedNumbers:baseObject