



**INTERNATIONAL STANDARD ISO/IEC 10164-2:1993**  
**TECHNICAL CORRIGENDUM 2**

Published 2002-04-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION  
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

## **Information technology — Open Systems Interconnection — Systems Management: State Management Function**

**TECHNICAL CORRIGENDUM 2: Clarification of state change event**

*Technologies de l'information — Interconnexion de systèmes ouverts (OSI) — Gestion-systèmes: Fonction de gestion d'états*

*RECTIFICATIF TECHNIQUE 2: Explication de l'évènement de changement d'états*

Technical Corrigendum 2 to International Standard ISO/IEC 10164-2:1993 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

---



## INTERNATIONAL STANDARD

## ITU-T RECOMMENDATION

**INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION –  
SYSTEMS MANAGEMENT: STATE MANAGEMENT FUNCTION****TECHNICAL CORRIGENDUM 2****CLARIFICATION OF STATE CHANGE EVENT****1) Subclause 8.1.3.1**

*Replace paragraph:*

"The state attribute group is defined as an empty attribute group. It provides a means of referring to the collection of all state attributes of a managed object. The intent of the state attribute group is to contain the generic and specific state attributes of a managed object when included in the managed object class definition. When the state attribute is read, the set of attribute identifiers and values which are members of the state attribute group will be returned."

*with:*

"The state attribute group is defined as an empty attribute group. It provides a means of referring to the collection of all state or status attributes of a managed object. The intent of the state attribute group is to contain the generic and specific state or status attributes of a managed object when included in the managed object class definition. When the state attribute group is read, the set of attribute identifiers and values which are members of the state attribute group will be returned."

**2) Subclause 8.2**

*Replace "state attribute" with "state or status attribute" throughout the subclause (7 occurrences).*

*Replace "state attributes" with "state or status attributes" throughout the subclause (2 occurrences).*

**3) Subclause 8.4**

*Change "state attribute" to "state or status attribute" throughout the subclause (3 occurrences).*