

---

---

**Information technology — Coding of  
audio-visual objects —**

**Part 4:  
Conformance testing**

**AMENDMENT 24: File format conformance**

*Technologies de l'information — Codage des objets audiovisuels —*

*Partie 4: Essai de conformité*

*AMENDEMENT 24: Conformité de format de fichier*

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Amendment 24 to ISO/IEC 14496-4:2004 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.



# Information technology — Coding of audio-visual objects —

## Part 4: Conformance testing

### AMENDMENT 24: File format conformance

*Rename the title of 4.7:*

#### **4.7 MP4 File Format**

*to:*

#### **4.7 File Format**

*In 4.7 insert the following subclause: renumbering existing Subclauses 4.7.1 and 4.7.2 as 4.7.2 and 4.7.3 respectively:*

#### **4.7.1 Introduction**

This subclause describes the conformance suite for the file format standards in MPEG-4. Since these standards share a lot of technology, their conformance program is being handled together. These standards are:

- 1) ISO/IEC 14496-12 (technically identical to ISO/IEC 15444-12): ISO base media file format
- 2) ISO/IEC 14496-14: MP4 file format
- 3) ISO/IEC 14496-15: Advanced Video Coding (AVC) file format (Storage of AVC in ISO files)

The purpose of the conformance suite is to cover the set of valid features that may be exercised in the file format. Media conformance is not covered, though of course in order to exercise the file format features, media has to be stored.

In order to assure coverage of features, the associated spreadsheet is used to list the features in groups, and to document which files exercise each feature. Features not currently covered by any file are marked with the sign “---”.

*After 4.7.3: Reading, add the following subclauses:*

#### **4.7.4 Process**

Those wishing to check the conformance of their implementation should perform the following checks. First, all conformance should check the “basic box handling” section of the tests, as this is common to all

specifications. Then, the mandatory features of the selected specification should be checked, and finally, of course, those optional features that the implementation being checked also covers.

The suite of conformance tests do not currently cover deliberately errored files. However, such files do occur in practice and implementations should be written to be resilient.

There is no tool provided to check the conformance of files. However, such tools do exist; the reference software can be used to open files in 'debug' mode and provide a listing of what it finds, and other trade associations and standards bodies may have validation tools tailored to their areas.

## **4.7.5 Areas tested**

The attached Excel document has two spreadsheets. The first briefly lists the areas and features covered, and then has a column for each proposed file. The second sheet provides a brief description of each area and feature, by line.

## **4.7.6 File Documentation**

### **4.7.6.1 a1**

This file is about as simple as it gets. It has an MPEG-4 video part 2 visual track, and an AAC track, interleaved; and an ISMA minimal scene and OD track, with an IOD.

### **4.7.6.2 a2**

This file is basically the same as a1, but hinted for RTP transmission.

### **4.7.6.3 a3**

This file uses the protected stream structures, in the ISMACryp 1.0 use of them. The keys are also supplied, and the result of de-protection (for comparison).

### **4.7.6.4 a4**

This uses movie fragments. The initial 1-second movie is followed by a 1-second movie fragment. Fragment-aware readers should play 2 seconds of content, fragment-unaware readers only 1 second.

### **4.7.6.5 a5**

This is a very simple video-only main profile AVC file. Since it is the main profile, composition offsets are used.

### **4.7.6.6 a6**

This is the same tone as used in test 3, but the actual access units are stored in a separate file, referenced by a relative URL `"/myData.dat"` from the main file.

### **4.7.6.7 a7**

This file also uses the 1-second tone. However, it has both UUID and a 'junk' atom in it (which should be ignored), free space (also ignored), and the compact sample size table, and a padding bits table (though the padding bits are all set to zero). The mdat atom has an implied length (the length in the file is zero, meaning to end of file).

**4.7.6.8 a8**

This file has the foreman 10 second of video, with 5 seconds before and after, of “container”. However, the edit list should select only foreman; the container ship should not appear. Note that the I-frames do not land on the edit boundaries; a player will have to pre-roll the video from an I-frame to work correctly.

**4.7.6.9 a9**

This file demonstrates the suggested way of handling AAC: it has a pre-roll sample group, and a track edit that is not aligned at either start or end with an AAC sample boundary.

**4.7.6.10 a10**

This file contains ‘raw’ (YUV420) video. Since this is an unregistered codec type (it’s actually supported in QuickTime movie files) this is an unrecognized codec type from an MP4 reader’s point of view.

**4.7.6.11 a11**

This file tests handling of very large (>4GB) files. Be careful, when unzipped, it expands to just over 4GB. It is double-zipped, because it’s much smaller that way.

The ‘mdat’ atom has a large (64-bit) size, and all the samples are at the end, preceded by 4GB of zeroes. Therefore the chunk offset table is also a co64, not an stco. The actual media data is a simple AAC tone.

**4.7.6.12 f1**

This file is a simple AVC + AAC file. It has an MPEG-4 AVC Baseline visual track (including the optional BitrateBox), and an AAC track.

**4.7.6.13 f2**

This file is a protected AVC + AAC file according to ISMACryp [1]. The 128-bit key for the decryption process is 0x01020304050607080102030405060708 for both tracks. The salt (counter offset) is 0x0000000000000001 for the audio and 0x0000000000000002. Because of the usage of protected streams, “isom” was replaced with “iso2” in the list of compatible brands.

All files are 3GP files containing AMR speech at 12.2 or 6.7 kbps, with or without DTX (silence frames). In addition, 3GP files with hint tracks (produced by Helix) are provided.

**4.7.6.14 male\_amr122.3gp**

AMR 12.2kbps, no DTX

**4.7.6.15 male\_amr122DTX.3gp**

AMR 12.2kbps, DTX

**4.7.6.16 female\_amr67\_hinted.3gp**

AMR 6.7kbps, no DTX, hint track

**4.7.6.17 female\_amr67DTX\_hinted.3gp**

AMR 6.7kbps, DTX, hint track

#### **4.7.6.18 01-simple.mp4**

Simple AV file (MPEG-4 ASP video, AAC audio), BIFS+OD scene, 2 timelines (BIFS/OD and A/V), interleaved

#### **4.7.6.19 02-dref\_edts\_img.mp4**

image track, audio track with edit list, with media data located outside the file

#### **4.7.6.20 03-hinted.mp4**

Simple video file with MPEG-4 ASP visual, hinted for RTP (RFC 3640 payload)

#### **4.7.6.21 04-bifs\_video.mp4**

Video (MPEG-4 ASP visual) + BIFS text (reading 'unprotected video'), with a single timeline

#### **4.7.6.22 05-bifs\_video\_protected.mp4**

Protected Video (MPEG-4 ASP visual) + BIFS text (reading 'protected video'), with a single timeline. Protection is done according to ISMACryp. Keys are described in an item located in a meta box at the file root level, ISMA KMS URI referring

to this item. Keys are:

key 0x2b7e151628aed2a6abf7158809cf4f3c

salt 0xf8f9fafbfcfdfeff

Only video I-frames are encrypted.

#### **4.7.6.23 06-bifs.mp4**

Simple animation with a single BIFS track. File moov box is located after mdat box.

#### **4.7.6.24 07-bifs\_sprite.mp4**

Simple looping animation with two BIFS tracks, exercising decoding dependency and synchronization track references.

Animation track uses ShadowSync samples in-between regular samples.

#### **4.7.6.25 08-bifs\_carousel.mp4**

Simple animation with a single BIFS track. Random Access Samples are inserted in-between the samples for the BIFS carousel, and signaled with a sample dependency type box.

#### **4.7.6.26 09-text.mp4**

Sample MPEG-4 Streaming Text file, stored in 3GPP text track format, with 2 sample descriptions.

#### **4.7.6.27 10-fragments.mp4**

Simple AV file (MPEG-4 ASP video, AAC audio), BIFS+OD scene, stored as a sequence of 500 ms fragments.



**4.7.6.28 12-metas.mp4**

IsoMedia file with a single image track, containing 3 metas (root, moov and track level). Meta at moov level has an item referencing the whole file

**4.7.6.29 13-long.mp4**

Long duration file, with MPEG-4 ASP track (only I-frames present). Total file duration is 5 000 000 000 sec (158 years 81 days 08:53:20)

**4.7.6.30 14\_large.mp4.gz.gz**

Large file exercising 64 bits chunk offset. The file is gzipped twice, expanding to a total of more than 4 Gbytes.

**4.7.6.31 timed-metadata.mp4**

Simple audio file with a timed-metadata track.

