



**INTERNATIONAL STANDARD ISO/IEC 19794-2:2005/Amd.1:2010**  
**TECHNICAL CORRIGENDUM 2**

Published 2014-09-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION  
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

## **Information technology — Biometric data interchange formats —**

### **Part 2: Finger minutiae data**

AMENDMENT 1: Detailed description of finger minutiae location, direction, and type

#### TECHNICAL CORRIGENDUM 2

*Technologies de l'information — Formats d'échange de données biométriques —*

*Partie 2 : Données du point caractéristique du doigt*

*AMENDEMENT 1: Description détaillée du point caractéristique du doigt, direction et type*

*RECTIFICATIF TECHNIQUE 2*

Technical Corrigendum 2 to ISO/IEC 19794-2:2005/Amd.1:2010 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 37, *Biometrics*.



1.) Change the 3<sup>rd</sup> paragraph under Figure E.31 from:

“5D 69 2D A1 43 ...”

To:

“25 5D 69 2D A1 43 ...”

2.) Change the 4<sup>th</sup> paragraph under Figure E.31 from:

“The first minutia has the horizontal position 5D<sub>Hex</sub> and the vertical position 69<sub>Hex</sub>. It is a ridge end (third byte smaller than 80<sub>Hex</sub>) with angle 2D<sub>Hex</sub>,”

To

“The first minutia has horizontal position 25<sub>Hex</sub>, vertical position 5D<sub>Hex</sub>. It is a ridge end (third byte smaller than 80<sub>Hex</sub>) with angle 205° are stored in 69<sub>Hex</sub>”