



Edition 1.1 2016-02 CONSOLIDATED VERSION

# TECHNICAL SPECIFICATION



Guideline for implementation of copy controlled multimedia interface

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.160; 35.240.99 ISBN 978-2-8322-3193-7

Warning! Make sure that you obtained this publication from an authorized distributor.





Edition 1.1 2016-02 CONSOLIDATED VERSION

# **REDLINE VERSION**



Guideline for implementation of copy controlled multimedia interface



### CONTENTS

FO	REW	ORD	3
INT	ROD	DUCTION	5
INT	ROD	OUCTION to Amendment 1	5
1	Scop	pe	6
2	Norr	mative references	6
3	Tern	ms, definitions and abbreviations	6
	3.1	Terms and definitions	6
	3.2	Abbreviations	7
4	Relation between interface standards and specifications		
	4.1	IEC standards with copy control information	7
	4.2	Relation between IEC standards	7
	4.3	IEC 60958 conformant data format	9
		4.3.1 The structure defined in IEC 61883-6	9
		4.3.2 Application to the other interface specification	
	4.4	IEC 61937 format based on IEC 60958	
5		rmation for copy control	
	5.1	Audio	
		5.1.1 SCMS	
		5.1.2 Other information	
_	5.2	Video	
6	•	lementation of copy control information of audio	
	6.1	IEC 61937 implementation	
_	6.2	IEC 61883-6 implementation	
7		lementation of copy control information of audio accompanied with vid	
8	•	lementation of other information	
		(informative) Relation between IEC standards and other specification	
An	nex B	3 (informative) Copy control information of audio accompanied with vio	deo16
An	nex C	C (informative) Other specifications applying copy control information.	17
Bib	liogra	aphy	18
Fig	ure 1	- The relationship between IEC standards	9
Fig	ure 2	? – Sub-frame format	10
Fig	ure 3	B – IEC 60958 conformant data format	10
Fig	ure 4	- The logical structure of IEC 60958 conformant data format	11
		5 – IEC 61937 data area	
		A.1 – The relationship between IEC 60958, AES3 and CP-340	
_		A.2 – The relationship IEEE1394 and IEC 61883-6	
ı ıy	uie A	1.2 - The relationship ILLE 1007 and ILO 01000-0	19
leT	nle 1	IEC standards with copy control information	7
		IEC 60958 conformant data format	
ıal	JIC ∠ .	— ILO UUSUU GIIIUIIIIaiit Uala IUIIIIat	10

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

# GUIDELINE FOR IMPLEMENTATION OF COPY CONTROLLED MULTIMEDIA INTERFACE

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC TS 62436 edition 1.1 contains the first edition (2008-02) [documents 100/1231/DTS and 100/1334/RVC] and its amendment 1 (2016-02) [documents 100/2504/DTS and 100/2609/RVC].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard. despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC 62436, which is a technical specification, has been prepared by technical area 4: Digital system interfaces and protocols, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT - The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

### INTRODUCTION

Various IEC standards have included methods for transmission of copy control information at the time when they were developed. For instance, IEC 61119-6 defines copyright status bit for DAT recorder, and IEC 60958-3 defines the L bit that is specified in IEC 61119-6.

The current consumer products become more complex and use the many IEC standards in one product.

For instance, a DVD player produces its high quality audio signal securely through IEC 61883-6, it also performs CD quality audio signal through IEC 60958 or IEC 61937, and the DVD player can produce audio signals through the other interface using IEC 60958 conformant data format, defined in IEC 61883-6.

Another example is a digital video recorder with hard disk drive or DVD that produces audio signal to the other audio recorder using IEC 60958 or IEC 61883-6.

These consumer products use many interface standards and should give copy control information and other information appropriately.

This guideline describes

- the relation between digital interface standards,
- the relation of copy control information and related information,
- the method for information implementation.

### **INTRODUCTION to Amendment 1**

The revision of IEC TS 62436:2008 has become necessary to revise Figure 1 and add a new Annex C to provide copy control information for the use of SCMS in other interface standards and specifications that have been revised.

### GUIDELINE FOR IMPLEMENTATION OF COPY CONTROLLED MULTIMEDIA INTERFACE

### 1 Scope

This Technical Specification gives a guideline for the implementation of the audio and video interfaces with copy control information.

### 2 Normative references

The following referenced documents, in whole or in part, are normally referenced in this document and are indispensable for the its application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60958 (all parts), Digital audio interface

IEC 60958-1, Digital audio interface – Part 1: General

IEC 60958-3, Digital audio interface – Part 3: Consumer applications

IEC 61119-6, Digital audio tape cassette system (DAT) – Part 6: Serial copy management system

IEC 61880-2, Video systems (525/60) – Video and accompanied data using the vertical blanking interval – Analogue interface – Part 2: 525 progressive scan system

IEC 61883-6, Consumer audio/video equipment – Digital interface – Part 6: Audio and music data transmission protocol

IEC 61909, Audio recording – Minidisc system

IEC 61937 (all parts), Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958

IEC 61937-1, Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 1: General

IEC 61937-2, Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 2: Bust-info

IEC 62375, Video systems (625/50 progressive) – Video and accompanied data using the vertical blanking interval – Analogue interface





Edition 1.1 2016-02 CONSOLIDATED VERSION

# **FINAL VERSION**

Guideline for implementation of copy controlled multimedia interface



### CONTENTS

FOI	REWORD	3			
INT	RODUCTION	5			
INT	RODUCTION to Amendment 1	5			
1	Scope	6			
2	Normative references	6			
3	Terms, definitions and abbreviations				
	3.1 Terms and definitions				
	3.2 Abbreviations				
4	Relation between interface standards and specifications				
	4.1 IEC standards with copy control information				
	4.2 Relation between IEC standards				
	4.3 IEC 60958 conformant data format				
	4.3.1 The structure defined in IEC 61883-6	8			
	4.3.2 Application to the other interface specification	10			
	4.4 IEC 61937 format based on IEC 60958	10			
5	Information for copy control	11			
	5.1 Audio	11			
	5.1.1 SCMS	11			
	5.1.2 Other information	11			
	5.2 Video				
6	Implementation of copy control information of audio				
	6.1 IEC 61937 implementation	11			
	6.2 IEC 61883-6 implementation				
7	Implementation of copy control information of audio accompanied with video				
8	Implementation of other information	12			
Anr	Annex A (informative) Relation between IEC standards and other specifications13				
Anr	nex B (informative) Copy control information of audio accompanied with video	15			
Anr	Annex C (informative) Other specifications applying copy control information16				
Bib	Bibliography17				
Fia	ure 1 – The relationship between IEC standards	8			
_	ure 2 – Sub-frame format				
_	ure 3 – IEC 60958 conformant data format				
_	ure 4 – The logical structure of IEC 60958 conformant data format				
_	ure 5 – IEC 61937 data area				
_					
_	Figure A.1 – The relationship between IEC 60958, AES3 and CP-340				
Figi	ure A.2 – The relationship IEEE1394 and IEC 61883-6	14			
Tab	ole 1 – IEC standards with copy control information	7			
Tab	ole 2 – IEC 60958 conformant data format	9			

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

# GUIDELINE FOR IMPLEMENTATION OF COPY CONTROLLED MULTIMEDIA INTERFACE

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC TS 62436 edition 1.1 contains the first edition (2008-02) [documents 100/1231/DTS and 100/1334/RVC] and its amendment 1 (2016-02) [documents 100/2504/DTS and 100/2609/RVC].

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC 62436, which is a technical specification, has been prepared by technical area 4: Digital system interfaces and protocols, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

### INTRODUCTION

Various IEC standards have included methods for transmission of copy control information at the time when they were developed. For instance, IEC 61119-6 defines copyright status bit for DAT recorder, and IEC 60958-3 defines the L bit that is specified in IEC 61119-6.

The current consumer products become more complex and use the many IEC standards in one product.

For instance, a DVD player produces its high quality audio signal securely through IEC 61883-6, it also performs CD quality audio signal through IEC 60958 or IEC 61937, and the DVD player can produce audio signals through the other interface using IEC 60958 conformant data format, defined in IEC 61883-6.

Another example is a digital video recorder with hard disk drive or DVD that produces audio signal to the other audio recorder using IEC 60958 or IEC 61883-6.

These consumer products use many interface standards and should give copy control information and other information appropriately.

This guideline describes

- the relation between digital interface standards,
- the relation of copy control information and related information,
- the method for information implementation.

### **INTRODUCTION to Amendment 1**

The revision of IEC TS 62436:2008 has become necessary to revise Figure 1 and add a new Annex C to provide copy control information for the use of SCMS in other interface standards and specifications that have been revised.

### GUIDELINE FOR IMPLEMENTATION OF COPY CONTROLLED MULTIMEDIA INTERFACE

### 1 Scope

This Technical Specification gives a guideline for the implementation of the audio and video interfaces with copy control information.

### 2 Normative references

The following documents, in whole or in part, are normaly referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60958 (all parts), Digital audio interface

IEC 60958-1, Digital audio interface – Part 1: General

IEC 60958-3, Digital audio interface – Part 3: Consumer applications

IEC 61119-6, Digital audio tape cassette system (DAT) – Part 6: Serial copy management system

IEC 61880-2, Video systems (525/60) – Video and accompanied data using the vertical blanking interval – Analogue interface – Part 2: 525 progressive scan system

IEC 61883-6, Consumer audio/video equipment – Digital interface – Part 6: Audio and music data transmission protocol

IEC 61909, Audio recording – Minidisc system

IEC 61937 (all parts), Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958

IEC 61937-1, Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 1: General

IEC 61937-2, Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 2: Bust-info

IEC 62375, Video systems (625/50 progressive) – Video and accompanied data using the vertical blanking interval – Analogue interface