

---

---

**Information technology — Virtualization  
Management Specification —**

*Technologies de l'information — Spécifications pour la gestion de la  
virtualisation*



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 19099 was prepared by SVPC Work Group of the DTMF (as INCITS 483-2012) and was adopted, under a special “fast-track procedure”, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by the national bodies of ISO and IEC.



# American National Standard

*for Information Technology –  
Virtualization Management Specification*

---

Developed by



*Where IT all begins*





American National Standard  
for Information Technology –  
Virtualization Management Specification

Secretariat  
**Information Technology Industry Council**

Approved May 29, 2012  
**American National Standards Institute, Inc.**

## American National Standard

Approval of an American National Standard requires review by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgement of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made towards their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

**CAUTION NOTICE:** This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

**CAUTION:** The developers of this standard have requested that holders of patents that may be required for the implementation of the standard disclose such patents to the publisher. However, neither the developers nor the publisher have undertaken a patent search in order to identify which, if any, patents may apply to this standard. As of the date of publication of this standard and following calls for the identification of patents that may be required for the implementation of the standard, no such claims have been made. No further patent search is conducted by the developer or publisher in respect to any standard it processes. No representation is made or implied that licenses are not required to avoid infringement in the use of this standard.

Published by

**American National Standards Institute, Inc.  
25 West 43rd Street, New York, NY 10036**

Copyright © 2012 by Information Technology Industry Council (ITI)  
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of ITI, 1101 K Street NW, Suite 610, Washington, DC 20005.

Printed in the United States of America



## CONTENTS

Foreword .....	ix
Introduction .....	1
1 Scope .....	3
1.1 Resource Allocation Profile .....	3
1.2 System Virtualization Profile .....	3
1.3 Allocation Capabilities Profile .....	3
1.4 Processor Resource Virtualization Profile .....	3
1.5 Memory Resource Virtualization Profile .....	3
1.6 Storage Resource Virtualization Profile .....	3
1.7 Ethernet Port Resource Virtualization Profile .....	3
1.8 Virtual System Profile .....	3
1.9 Generic Device Resource Virtualization Profile .....	3
1.10 Virtual Ethernet Switch Profile .....	4
2 Normative references .....	4
3 Terms and definitions .....	5
4 Symbols and abbreviated terms .....	12
5 Resource Allocation Profile .....	14
5.1 Description .....	14
5.2 Implementation .....	18
5.3 Methods .....	27
5.4 Use cases .....	35
5.5 CIM elements .....	40
6 System Virtualization Profile .....	52
6.1 Description .....	52
6.2 Implementation .....	59
6.3 Methods .....	67
6.4 Use cases .....	84
6.5 CIM elements .....	110
7 Allocation Capabilities Profile .....	126
7.1 Description .....	126
7.2 Implementation .....	129
7.3 Methods .....	130
7.4 Use cases .....	134
7.5 CIM elements .....	139
8 Processor Resource Virtualization Profile .....	144
8.1 Description .....	144
8.2 Implementation .....	149
8.3 Methods .....	157
8.4 Use cases .....	158
8.5 CIM elements .....	168
9 Memory Resource Virtualization Profile .....	178
9.1 Description (informative) .....	178
9.2 Implementation .....	186
9.3 Methods .....	198
9.4 Use cases (informative) .....	198
9.5 CIM elements .....	207
10 Storage Resource Virtualization Profile .....	221
10.1 Description .....	222
10.2 Implementation .....	234
10.3 Methods .....	251
10.4 Use cases .....	253
10.5 CIM Elements .....	270
11 Ethernet Port Resource Virtualization Profile .....	282
11.1 Description .....	282
11.2 Implementation .....	291
11.3 Methods .....	303

11.4	Use cases .....	304
11.5	CIM elements .....	318
12	Virtual System Profile .....	341
12.1	Description .....	341
12.2	Implementation.....	350
12.3	Methods .....	360
12.4	Use-cases .....	363
12.5	CIM elements .....	374
13	Generic Device Resource Virtualization Profile .....	381
13.1	Description .....	381
13.2	Implementation.....	383
13.3	Methods .....	383
13.4	Use cases .....	383
13.5	CIM elements .....	388
14	Virtual Ethernet Switch Profile .....	390
14.1	Description .....	390
14.2	Implementation.....	394
14.3	Methods .....	395
14.4	Use cases .....	397
14.5	CIM elements .....	400
Annex A (Informative)	Virtual system modeling — background information.....	407
A.1	Concepts: Model, view, controller .....	407
A.2	Aspect-oriented modeling approach.....	407
A.3	Presence of model information.....	408
A.4	Model extension through settings.....	409
Annex B (Informative)	Implementation details.....	410
B.1	Dual-configuration implementation approach.....	410
B.2	Single-configuration implementation approach .....	413

## Figures

Figure 1 – Resource Allocation Profile: Class Diagram .....	15
Figure 2 – Abstract instance diagram: Concrete resource pool .....	35
Figure 3 – Abstract instance diagram: Primordial pool with backed resources .....	36
Figure 4 – Abstract instance diagram: Primordial pool without backed resources.....	36
Figure 5 – Resource pool hierarchy instance diagram .....	37
Figure 6 – Simple resource allocation .....	38
Figure 7 – Profiles related to system virtualization .....	54
Figure 8 – System Virtualization Profile: Class diagram.....	56
Figure 9 – System Virtualization Profile instance diagram: Discovery, localization, and inspection .....	86
Figure 10 – Virtual system configuration based on input virtual system configurations and implementation defaults ..	98
Figure 11 – Virtual system resource modification.....	102
Figure 12 – System Virtualization Profile: Snapshot example .....	105
Figure 13 – Allocation Capabilities Profile: Class diagram .....	127
Figure 14 – Allocation capabilities associated to CIM_ComputerSystem and CIM_ResourcePool.....	135
Figure 15 – Allocation capabilities associated to CIM_ResourceAllocationSettingData .....	136
Figure 16 – Multiple CIM_AllocationCapabilities instances .....	137
Figure 17 – Processor Resource Virtualization Profile: Class Diagram.....	145
Figure 18 – Processor Resource Virtualization Profile: Instance diagram.....	159
Figure 19 – Defined state .....	160
Figure 20 – Active state .....	161
Figure 21 – CIM_ModifyResourceSettings – Before .....	163
Figure 22 – RASD to Modify Resources .....	164

Figure 23 – CIM_ModifyResourceSettings – After .....	165
Figure 24 – CIM_AddResourceSettings – Before .....	166
Figure 25 – RASD to add processor .....	167
Figure 26 – CIM_AddResourceSettings – After .....	168
Figure 27 – Memory Resource Virtualization Profile: Profile class diagram .....	179
Figure 28 – Instance Diagram: Concept of memory resource pool hierarchies.....	181
Figure 29 – Instance Diagram: Concept of memory resource allocation .....	183
Figure 30 – Instance Diagram: Memory composition .....	185
Figure 31 – Instance Diagram: Example CIM representation of memory resource virtualization .....	200
Figure 32 – Storage Resource Virtualization Profile: Profile class diagram .....	223
Figure 33 – Instance diagram: Concept of storage resource pool hierarchies .....	227
Figure 34 – Instance diagram: Concept of storage resource allocation .....	230
Figure 35 – Cooperation of DMTF SVPC and SNIA SMI-S profiles .....	233
Figure 36 – Instance diagram: Example CIM representation of storage resource virtualization.....	254
Figure 37 – Create virtual disk with implicit file creation.....	263
Figure 38 – Create virtual disk with pre-existing file .....	265
Figure 39 – Create dedicated virtual disk.....	267
Figure 40 – Create virtual delta disk and file .....	269
Figure 41 – Ethernet Port Resource Virtualization: Profile class diagram .....	283
Figure 42 – Virtual ethernet switch port allocation.....	287
Figure 43 – Instance Diagram: Ethernet adapter and Ethernet connection resource allocations .....	289
Figure 44 – Ethernet switch port and Ethernet connection resource pools .....	306
Figure 45 – Static Ethernet switch port allocation to a virtual Ethernet switch .....	308
Figure 46 – Ethernet adapter connection to static switch port.....	310
Figure 47 – Dynamic Ethernet switch port connection capabilities.....	313
Figure 48 – Dynamic Ethernet switch port allocation .....	314
Figure 49 – Allocation capabilities for simple Ethernet connection.....	315
Figure 50 – Simple connection of virtual machine to Ethernet switch .....	316
Figure 51 – Profiles related to system virtualization .....	343
Figure 52 – Virtual System Profile: Class diagram .....	344
Figure 53 – Virtual system states .....	349
Figure 54 – Virtual system representation and virtual system configuration .....	354
Figure 55 – Sample virtual system configuration .....	365
Figure 56 – Sample virtual system in "active" state.....	367
Figure 57 – Instance diagram: Profile conformance of scoped resources.....	368
Figure 58 – Generic Device Resource Virtualization: Class diagram .....	382
Figure 59 – Simple virtual device allocation .....	384
Figure 60 – Profile registration using central class.....	385
Figure 61 – Profile registration using scoping class .....	386
Figure 62 – Determining resource capabilities .....	387
Figure 63 – DMTF Management profiles related to the virtual Ethernet switch.....	392
Figure 64 – Virtual Ethernet Switch Profile: Class Diagram .....	393
Figure 65 – Basic example of virtual Ethernet switch.....	398
Figure A-1 – State-dependent presence of model elements .....	408
Figure B-2 – Sample virtual system in a state other than "defined" (Dual-configuration approach) .....	412
Figure B-3 – Sample virtual system in the "defined" state (Single-configuration approach).....	414
Figure B-4 – Sample virtual system in a state other than "defined" (Single-configuration approach).....	415

## Tables

Table 1 – Component documents .....	2
Table 2 – Related profiles for the Resource Allocation Profile .....	14
Table 3 – CIM_ResourcePoolConfigurationService.CreateChildResourcePool( ) method: Return code values .....	27
Table 4 – CIM_ResourcePoolConfigurationService.CreateChildResourcePool( ) method: Parameters .....	28
Table 5 – CIM_ResourcePoolConfigurationService.DeleteResourcePool( ) method: Return code values.....	28
Table 6 – CIM_ResourcePoolConfigurationService.DeleteResourcePool( ) method: Parameters .....	29
Table 7 – CIM_ResourcePoolConfigurationService.AddResourcesToResourcePool( ) method: Return code values.....	29
Table 8 – CIM_ResourcePoolConfigurationService.AddResourcesToResourcePool( ) method: Parameters .....	30
Table 9 – CIM_ResourcePoolConfigurationService.RemoveResourcesFromResourcePool( ) method: Return code values.....	31
Table 10 – CIM_ResourcePoolConfigurationService.RemoveResourcesFromResourcePool( ) method: Parameters .....	31
Table 11 – CIM_ResourcePoolConfigurationService.ChangeParentResourcePool( ) method: Return code values ....	32
Table 12 – CIM_ResourcePoolConfigurationService.ChangeParentResourcePool( ) method: Parameters .....	32
Table 13 – CIM elements: Resource Allocation Profile .....	40
Table 14 – Class: CIM_AffectedJobElement.....	41
Table 15 – Class: CIM_BaseMetricDefinition.....	41
Table 16 – Class: CIM_BaseMetricDefinition — Instantaneous consumption.....	42
Table 17 – Class: CIM_BaseMetricDefinition — Interval metrics .....	42
Table 18 – Class: CIM_BaseMetricDefinition — Aggregate consumption.....	42
Table 19 – Class: CIM_BaseMetricValue.....	43
Table 20 – Class: CIM_BaseMetricValue — Instantaneous consumption .....	43
Table 21 – Class: CIM_BaseMetricValue — Interval metrics.....	43
Table 22 – Class: CIM_BaseMetricValue — Aggregate consumption .....	44
Table 23 – Class: CIM_Component .....	44
Table 24 – Class: CIM_ConcreteJob .....	44
Table 25 – Class: CIM_ElementAllocatedFromPool .....	45
Table 26 – Class: CIM_ElementCapabilities .....	45
Table 27 – Class: CIM_ElementSettingData .....	45
Table 28 – Class: CIM_HostedDependency .....	46
Table 29 – Class: CIM_HostedResourcePool.....	46
Table 30 – Class: CIM_HostedService .....	46
Table 31 – Class: CIM_LogicalDevice .....	47
Table 32 – Class: CIM_MetricDefForME.....	47
Table 33 – Class: CIM_MetricForME .....	47
Table 34 – Class: CIM_ResourceAllocationFromPool .....	48
Table 35 – Class: CIM_ResourceAllocationSettingData (current settings) .....	48
Table 36 – Class: CIM_ResourceAllocationSettingData (defined settings).....	49
Table 37 – Class: CIM_ResourcePool .....	49
Table 38 – Class: CIM_ResourcePoolConfigurationCapabilities .....	50
Table 39 – Class: CIM_ResourcePoolConfigurationService .....	50
Table 40 – Class: CIM_SettingsDefineState .....	51
Table 41 – Class: CIM_ServiceAffectsElement.....	51
Table 42 – Class: CIM_SystemDevice.....	51
Table 43 – Related profiles for the System Virtualization Profile .....	52
Table 44 – DefineSystem( ) method: Parameters.....	70
Table 45 – DefineSystem( ) method: Return code values .....	72
Table 46 – DestroySystem( ) method: Parameters.....	72
Table 47 – DestroySystem( ) method: Return code values .....	73

Table 48 – AddResourceSettings( ) method: Parameters .....	73
Table 49 – AddResourceSettings( ) method: Return code values .....	74
Table 50 – ModifyResourceSettings( ) method: Parameters .....	75
Table 51 – ModifyResourceSettings( ) Method: Return code values .....	76
Table 52 – ModifySystemSettings( ) Method: Parameters .....	76
Table 53 – ModifySystemSettings( ) Method: Return code values .....	77
Table 54 – RemoveResourceSettings( ) Method: Parameters .....	78
Table 55 – RemoveResourceSettings( ) Method: Return code values .....	78
Table 56 – CreateSnapshot( ) method: Parameters .....	79
Table 57 – CreateSnapshot( ) method: Return code values .....	80
Table 58 – DestroySnapshot( ) method: Parameters .....	80
Table 59 – DestroySnapshot( ) method: Return code values .....	81
Table 60 – ApplySnapshot( ) method: Parameters .....	81
Table 61 – ApplySnapshot( ) method: Return code values .....	82
Table 62 – CIM Elements: System Virtualization Profile .....	110
Table 63 – Association: CIM_AffectedJobElement .....	111
Table 64 – Class: CIM_ConcreteJob .....	112
Table 65 – Class: CIM_Dependency Class .....	112
Table 66 – Association: CIM_ElementCapabilities (host system) .....	113
Table 67 – Association: CIM_ElementCapabilities (virtual system management) .....	113
Table 68 – Association: CIM_ElementCapabilities (snapshot service) .....	114
Table 69 – Association: CIM_ElementCapabilities (snapshots of virtual systems) .....	114
Table 70 – Association: CIM_ElementConformsToProfile .....	115
Table 71 – Association: CIM_HostedDependency .....	115
Table 72 – Association: CIM_HostedService (virtual system management service) .....	116
Table 73 – Association: CIM_HostedService (virtual system snapshot service) .....	116
Table 74 – Association: CIM_LastAppliedSnapshot .....	117
Table 75 – Association: CIM_MostCurrentSnapshotInBranch .....	117
Table 76 – Association: CIM_ReferencedProfile .....	118
Table 77 – Class: CIM_RegisteredProfile .....	118
Table 78 – Association: CIM_ServiceAffectsElement (virtual system management service) .....	119
Table 79 – Association: CIM_ServiceAffectsElement .....	120
Table 80 – Association: CIM_SnapshotOfVirtualSystem .....	120
Table 81 – Class: CIM_VirtualSystemManagementCapabilities .....	121
Table 82 – Class: CIM_VirtualSystemManagementCapabilities .....	121
Table 83 – Class: CIM_VirtualSystemManagementService .....	121
Table 84 – Class: CIM_VirtualSystemSettingData (input) .....	122
Table 85 – Class: CIM_VirtualSystemSettingData (Snapshot) .....	123
Table 86 – Class: CIM_VirtualSystemSnapshotCapabilities .....	124
Table 87 – Class: CIM_VirtualSystemSnapshotService .....	124
Table 88 – Class: CIM_VirtualSystemSnapshotServiceCapabilities .....	125
Table 89 – Related profiles for the Allocation Capabilities Profile .....	126
Table 90 – Operations: CIM_SettingsDefineCapabilities .....	131
Table 91 – Operations: CIM_ElementCapabilities .....	134
Table 92 – CIM elements: Allocation Capabilities Profile .....	139
Table 93 – Class: CIM_AllocationCapabilities .....	139
Table 94 – Class: CIM_ElementCapabilities .....	140
Table 95 – Class: CIM_ElementCapabilities (default) .....	140
Table 96 – Class: CIM_SettingsDefineCapabilities .....	141
Table 97 – Class: CIM_SettingsDefineCapabilities (Default) .....	141
Table 98 – Class: CIM_SettingsDefineCapabilities (minimums) .....	142
Table 99 – Class: CIM_SettingsDefineCapabilities (maximums) .....	142

Table 100 – Class: CIM_SettingsDefineCapabilities (Increments).....	143
Table 101 – Class: CIM_SettingsDefineCapabilities (Independent Supported Point).....	143
Table 102 – Related profiles for the Processor Resource Virtualization Profile .....	144
Table 103 – Acronyms for RASD adapted for the representation of various flavors of allocation data .....	153
Table 104 – CIM Elements: Processor Resource Virtualization Profile.....	169
Table 105 – Association: CIM_Component for resource pool.....	170
Table 106 – Association: CIM_ElementAllocatedFromPool .....	171
Table 107 – Association: CIM_ElementSettingData.....	171
Table 108 – Association: CIM_ElementSettingData for processor resource allocation.....	172
Table 109 – Association: CIM_ElementSettingData (Processor Resource Pool).....	172
Table 110 – Association: CIM_HostedDependency .....	173
Table 111 – Class: CIM_Processor (host processor).....	173
Table 112 – Class: CIM_Processor (virtual system) .....	173
Table 113 – Class: CIM_RegisteredProfile .....	174
Table 114 – Association: CIM_ResourceAllocationFromPool .....	174
Table 115 – Class: CIM_ResourceAllocationSettingData .....	175
Table 116 – Class: CIM_ResourcePool .....	175
Table 117 – Association: CIM_SettingsDefineState.....	176
Table 118 – Association: CIM_SystemDevice (Host Processor).....	176
Table 119 – Association: CIM_SystemDevice (Virtual Processor).....	177
Table 120 – Related profiles for the Memory Resource Virtualization Profile .....	178
Table 121 – CIM Elements: Memory Resource Virtualization Profile .....	208
Table 122 – Association: CIM_AffectedJobElement .....	209
Table 123 – Class: CIM_AllocationCapabilities (memory allocation capabilities).....	209
Table 124 – Class: CIM_AllocationCapabilities (memory allocation mutability) .....	210
Table 125 – Association: CIM_Component (memory resource).....	211
Table 126 – Association: CIM_Component (resource pool).....	211
Table 127 – Class: CIM_ConcreteJob .....	212
Table 128 – Association: CIM_ElementAllocatedFromPool .....	212
Table 129 – Association: CIM_ElementCapabilities (capabilities).....	213
Table 130 – Association: CIM_ElementCapabilities (mutability) .....	213
Table 131 – Association: CIM_ElementSettingData (memory resource pool).....	214
Table 132 – Association: CIM_ElementSettingData (memory resource) .....	214
Table 133 – Association: CIM_HostedDependency .....	215
Table 134 – Class: CIM_Memory (host system) .....	215
Table 135 – Class: CIM_Memory (virtual system).....	216
Table 136 – Class: CIM_RegisteredProfile .....	216
Table 137 – Association: CIM_ResourceAllocationFromPool .....	216
Table 138 – Class: CIM_ResourceAllocationSettingData .....	217
Table 139 – Class: CIM_ResourcePool .....	218
Table 140 – Class: CIM_ResourcePoolConfigurationCapabilities.....	218
Table 141 – Association: CIM_SettingsDefineState.....	218
Table 142 – Association: CIM_ServiceAffectsElement .....	219
Table 143 – Association: CIM_SystemDevice (virtual memory).....	219
Table 144 – Association: CIM_SystemDevice (host memory) .....	220
Table 145 – Related profiles for the Storage Resource Virtualization Profile .....	221
Table 146 – Optional Features.....	222
Table 147 – Predefined ResourceSubType values (EXPERIMENTAL).....	237
Table 148 – Acronyms for RASD adapted for the representation of various flavors of allocation data .....	241
Table 149 – CIM Elements: Storage Resource Virtualization Profile .....	270
Table 150 – Association: CIM_Component for resource pool.....	272
Table 151 – Class: CIM_DiskDrive (Host).....	272

Table 152 – Class: CIM_DiskDrive (Virtual System).....	272
Table 153 – Association: CIM_ElementSettingData.....	273
Table 154 – Association: CIM_ElementSettingData.....	273
Table 155 – Association: CIM_ElementSettingData.....	274
Table 156 – Association: CIM_ElementSettingData.....	274
Table 157 – Association: CIM_HostedDependency.....	275
Table 158 – Class: CIM_LogicalDisk (Virtual System).....	275
Table 159 – Association: CIM_ReferencedProfile.....	277
Table 160 – Class: CIM_RegisteredProfile.....	277
Table 161 – Class: CIM_ResourceAllocationSettingData.....	277
Table 162 – Class: CIM_ResourcePool.....	278
Table 163 – Association: CIM_SettingsDefineState.....	279
Table 164 – Class: CIM_StorageAllocationSettingData.....	279
Table 165 – Class: CIM_StorageVolume for host storage volume.....	280
Table 166 – Class: CIM_StorageExtent for virtual disks.....	281
Table 167 – Association: CIM_SystemDevice for host storage volumes.....	281
Table 168 – Association: CIM_SystemDevice for virtual resources.....	281
Table 169 – Related profiles for the Ethernet Port Resource Virtualization Profile.....	282
Table 170 – Acronyms for EASD adapted for the representation of various flavors of allocation data.....	295
Table 171 – CIM Elements: Ethernet Port Resource Virtualization Profile.....	318
Table 172 – Association: CIM_ActiveConnection.....	320
Table 173 – Association: CIM_Component for resource pool.....	321
Table 174 – Association: CIM_ElementAllocatedFromPool.....	321
Table 175 – Association: CIM_ElementSettingData for connection resources.....	322
Table 176 – Association: CIM_ElementSettingData for CIM_EthernetPort resource allocation.....	322
Table 177 – Association: CIM_ElementSettingData for CIM_EthernetPort resource allocation.....	323
Table 178 – Class: CIM_EthernetPort (host system).....	323
Table 179 – Class: CIM_EthernetPort (virtual system).....	323
Table 180 – Class: CIM_EthernetPortAllocationSettingData for Ethernet adapter (Q_EASD).....	324
Table 181 – Class: CIM_EthernetPortAllocationSettingData for Ethernet adapter (R_EASD).....	324
Table 182 – Class: CIM_EthernetPortAllocationSettingData for Ethernet adapter (C_EASD).....	325
Table 183 – Class: CIM_EthernetPortAllocationSettingData for Ethernet adapter (D_EASD).....	326
Table 184 – Class: CIM_EthernetPortAllocationSettingData for Ethernet adapter (M_EASD).....	327
Table 185 – Class: CIM_EthernetPortAllocationSettingData for Ethernet connection (Q_EASD).....	328
Table 186 – Class: CIM_EthernetPortAllocationSettingData for Ethernet connection (R_EASD).....	329
Table 187 – Class: CIM_EthernetPortAllocationSettingData for Ethernet connection (C_EASD).....	329
Table 188 – Class: CIM_EthernetPortAllocationSettingData for Ethernet connection (D_EASD).....	330
Table 189 – Class: CIM_EthernetPortAllocationSettingData for Ethernet connection (M_EASD).....	331
Table 190 – Class: CIM_EthernetPortAllocationSettingData for Ethernet switch port (Q_EASD).....	332
Table 191 – Class: CIM_EthernetPortAllocationSettingData for Ethernet switch port (R_EASD).....	332
Table 192 – Class: CIM_EthernetPortAllocationSettingData for Ethernet switch port (C_EASD).....	333
Table 193 – Class: CIM_EthernetPortAllocationSettingData for Ethernet switch port (D_EASD).....	334
Table 194 – Class: CIM_EthernetPortAllocationSettingData for Ethernet switch port (M_EASD).....	335
Table 195 – Class: CIM_RegisteredProfile.....	335
Table 196 – Class: CIM_ResourcePool (Ethernet adapter).....	336
Table 197 – Class: CIM_ResourcePool.....	336
Table 198 – Class: CIM_ResourcePool (Ethernet switch port).....	337
Table 199 – Association: CIM_SettingsDefineState.....	339
Table 200 – Association: CIM_SystemDevice (Virtual EthernetPort).....	339
Table 201 – Association: CIM_SystemDevice (host Ethernet adapter).....	339
Table 202 – Related profiles for the Virtual System Profile.....	341
Table 203 – Observation of virtual system states.....	350

Table 204 – Observation of virtual system state transitions .....	352
Table 205 – CIM_ComputerSystem.RequestStateChange( ) method: Parameters .....	361
Table 206 – CIM_PowerManagementService.RequestPowerStateChange( ) method: Parameters .....	361
Table 207 – CIM elements: Virtual System Profile .....	374
Table 208 – Association: CIM_AffectedJobElement .....	375
Table 209 – Class: CIM_ComputerSystem .....	375
Table 210 – Class: CIM_ConcreteJob .....	375
Table 211 – Association: CIM_ElementConformsToProfile .....	376
Table 212 – Association: CIM_ElementSettingData .....	377
Table 213 – Class: CIM_EnabledLogicalElementCapabilities .....	377
Table 214 – Association: CIM_ReferencedProfile .....	378
Table 215 – Class: CIM_RegisteredProfile .....	378
Table 216 – Association: CIM_SettingsDefineState .....	379
Table 217 – Class: CIM_VirtualSystemSettingData .....	379
Table 218 – Association: CIM_VirtualSystemSettingDataComponent .....	380
Table 219 – Related profiles for the Generic Device Resource Virtualization Profile .....	381
Table 220 – CIM Elements: Generic Device Resource Virtualization Profile .....	388
Table 221 – Class: CIM_AllocationCapabilities .....	388
Table 222 – Class: CIM_ElementCapabilities .....	389
Table 223 – Class: CIM_RegisteredProfile .....	389
Table 224 – Related profiles for the Virtual Ethernet Switch Profile .....	390
Table 225 – CIM Elements: Virtual System Profile .....	400
Table 226 – Class: CIM_ComputerSystem .....	401
Table 227 – Association: CIM_ElementSettingData .....	401
Table 228 – Association: CIM_HostedCollection .....	402
Table 229 – Association: CIM_MemberOfCollection .....	402
Table 230 – Class: CIM_NetworkVLAN .....	403
Table 231 – Class: CIM_RegisteredProfile .....	403
Table 232 – Association: CIM_SettingsDefineState .....	405
Table 233 – Association: CIM_SystemComponent .....	405
Table 234 – Class: CIM_VirtualEthernetSwitchSettingData .....	406
Table 235 – Association: CIM_VirtualSystemSettingDataComponent .....	406



**Foreword** (This foreword is not part of American National Standard INCITS 483-2012.)

*Virtualization Management* was prepared by the System Virtualization, Partitioning, and Clustering Working Group of the DTMF.

DMTF is a not-for-profit association of industry members dedicated to promoting enterprise and systems management and interoperability. For information about the DMTF, see <http://www.dmtf.org>.

Requests for interpretation, suggestions for improvement or addenda, or defect reports are welcome. They should be sent to InterNational Committee for Information Technology Standards (INCITS), ITI, 1101 K Street, NW, Suite 610, Washington, DC 20005.

This standard was processed and approved for submittal to ANSI by INCITS. Committee approval of this standard does not necessarily imply that all committee members voted for its approval. At the time it approved this standard, INCITS had the following members:

Don Wright, Chair  
Jennifer Garner, Secretary

<i>Organization Represented</i>	<i>Name of Representative</i>
Adobe Systems Inc.....	Scott Foshee Steve Zilles (Alt.)
AIM Global, Inc. ....	Steve Halliday
Apple .....	Helene Workman David Singer (Alt.)
Distributed Management Task Force .....	John Crandall Jeff Hilland (Alt.)
EMC Corporation .....	Gary Robinson Stephen Diamond (Alt.)
Farance, Inc.....	Frank Farance Timothy Schoechle (Alt.)
GS1 US .....	Frank Sharkey Charles Biss (Alt.)
Hewlett-Packard Company .....	Karen Higginbottom Paul Jeran (Alt.)
IBM Corporation .....	Alexander Tarpinian Robert Weir (Alt.) Arnaud Le Hors (Alt.) Debra Boland (Alt.) Steve Holbrook (Alt.) Gerald Lane (Alt.)
IEEE .....	Jodie Haasz Terry deCourcelle (Alt.) Bob Labelle (Alt.)
Intel .....	Philip Wennblom Grace Wei (Alt.) Stephen Balogh (Alt.)
Lexmark International .....	Don Wright Dwight Lewis (Alt.) Paul Menard (Alt.) Jerry Thrasher (Alt.)
Microsoft Corporation .....	Jim Hughes Dick Brackney (Alt.) John Calhoon (Alt.)
National Institute of Standards & Technology .....	Michael Hogan Sal Francomacaro (Alt.) Dan Benigni (Alt.) Fernando Podio (Alt.) Teresa Schwarzhoff (Alt.) Wo Chang (Alt.) Elaine Newton (Alt.)

# ISO/IEC 19099:2014(E)

<i>Organization Represented</i>	<i>Name of Representative</i>
Oracle Corporation .....	Donald R. Deutsch Jim Melton (Alt.) Michael Kavanaugh (Alt.) Toshihiro Suzuki (Alt.) Jeff Mischkinsky (Alt.) Tony DiCenzo (Alt.) Patrick Curran (Alt.)
Purdue University .....	Stephen Elliott Kevin O'Connor (Alt.)
Telecommunications Industry Association (TIA) .....	Herb Congdon, II Cheryl Blum (Alt.)
US Department of Defense .....	Jerry Smith Dennis Devera (Alt.) Dave Brown (Alt.) Leonard Levine (Alt.) Matthew Young (Alt.) Thomas D'Agostino (Alt.)
US Department of Homeland Security .....	Peter Shebell Gregg Piermarini (Alt.) Juan Gonzalez (Alt.)
VMware .....	Lawrence Lamers Winston Bumpus (Alt.)

The System Virtualization, Partitioning, and Clustering Working Group of the DTMF, which developed this standard, had the following contributors:

Michael Johanssen, IBM, Editor

## Contributors:

Gareth Bestor - IBM  
Chris Brown - HP  
Mike Dutch - Symantec  
Jim Fehlig - Novell  
Kevin Fox - Sun Microsystems, Inc.  
Ron Goering - IBM  
Daniel Hiltgen - EMC/VMware  
Michael Johanssen - IBM  
Larry Lamers - EMC/VMware  
Andreas Maier - IBM  
Aaron Merkin - IBM  
John Parchem - Microsoft  
Nihar Shah - Microsoft  
David Simpson - IBM  
Carl Waldspurger - EMC/VMware

## Acknowledgments

The authors wish to acknowledge the following people.

### Contributors:

- Kamesh Aiyer – EMC
- Tatyana Bagerman – Oracle
- Dave Barrett – Emulex
- Oliver Benke – IBM
- Gareth Bestor – IBM
- Chris Brown -- Hewlett-Packard
- Ron Doyle – IBM
- Mike Dutch – Symantec
- George Ericson – EMC
- James Fehlig – Novell
- Kevin Fox – Sun Microsystems, Inc.
- Michael Gering – IBM
- Ron Goering – IBM
- Steffen Grarup – VMware Inc.
- Steve Hand – Symantec
- Mark Hapner – Sun Microsystems, Inc.
- Daniel Hiltgen – VMware Inc.
- Michael Johanssen – IBM
- Mark Johnson – IBM
- Lawrence Lamers – VMware Inc.
- Richard Landau – Dell
- John Leung – Intel Corporation
- John Linn – EMC
- Fred Maciel – Hitachi Ltd.
- Andreas Maier – IBM
- Srinivas Maturi – Oracle
- Aaron Merkin – IBM
- John Parchem – Microsoft Corporation
- Shishir Pardikar – Citrix Systems Inc.
- Murali Rajagopal -- QLogic
- Rene Schmidt – VMware Inc.
- Stephen Schmidt – IBM
- Hemal Shah – Broadcom

- Nihar Shah – Microsoft Corporation
- David Simpson – IBM
- John Suit – Fortisphere
- Carl Waldsburger -- VMware Inc.
- Mike Walker – IBM
- Jeff Wheeler – Cisco

# American National Standard for Information Technology –

## Virtualization Management Specification

### Introduction

The information in this standard should be sufficient for a provider or consumer of this data to unambiguously identify the classes, properties, methods, and values that shall be instantiated to subscribe, advertise, produce, or consume an indication using the DMTF Common Information Model (CIM) Schema.

The target audience for this standard is implementers who are writing CIM-based providers or consumers of management interfaces that represent the components described in this document.

### Document conventions

#### Typographical conventions

The following typographical conventions are used in this document:

- Document titles are marked in *italics*.
- Important terms that are used for the first time are marked in italics.
- ABNF rules are in `monospaced font`.

The following conventions are followed for defining formats of entries such as URIs:

- Literal characters within a format definition are surrounded by single quotes.
- Names of variables within a format are in standard text and are explicitly defined by means of a "Where: variable-name is ..." section that follows the format definition.
- A specific value of a variable within a generalized example of a formatted entry is displayed in *italics*.
- Definitions of formats are case sensitive.
- Whitespace, if any, in formats is explicitly indicated.

In XML and MOF examples, an ellipsis (" . . . ") indicates omitted or optional entries that would typically occupy the position of the ellipsis.

### ABNF usage conventions

Format definitions in this document are specified using ABNF (see [RFC 5234](#)), with the following deviations:

- Literal strings are to be interpreted as case-sensitive Unicode characters, as opposed to the definition in [RFC 5234](#) that interprets literal strings as case-insensitive US-ASCII characters.

**Experimental material**

Experimental material has yet to receive sufficient review to satisfy the adoption requirements set forth by the DMTF. Experimental material is included in this document as an aid to implementers who are interested in likely future developments. Experimental material may change as implementation experience is gained. It is likely that experimental material will be included in an upcoming revision of the document. Until that time, experimental material is purely informational.

Experimental content is indicated by an Experimental Note.

In places where the Experimental Note cannot be used (for example, tables or figures), the "EXPERIMENTAL" label is used alone.

**DMTF component documents**

Table 1 lists the DMTF component documents that were combined to create this standard.

**Table 1 – Component documents**

<b>Document Number</b>	<b>Document Title</b>	<b>Version</b>
DSP1041	<i>Resource Allocation Profile</i>	1.1.0
DSP1042	<i>System Virtualization Profile</i>	1.0.0
DSP1043	<i>Allocation Capabilities Profile</i>	1.0.0
DSP1044	<i>Processor Resource Virtualization Profile</i>	1.0.0
DSP1045	<i>Memory Resource Virtualization Profile</i>	1.0.0
DSP1047	<i>Storage Resource Virtualization Profile</i>	1.0.0
DSP1050	<i>Ethernet Port Resource Virtualization Profile</i>	1.0.0
DSP1057	<i>Virtual System Profile</i>	1.0.0
DSP1059	<i>Generic Device Resource Virtualization Profile</i>	1.0.0
DSP1097	<i>Virtual Ethernet Switch Profile</i>	1.0.0

# 1 Scope

## 1.1 Resource Allocation Profile

Clause 5 sets the basic resource allocation pattern for resource pools, allocations, and setting data. It also defines the resource-pool-lifecycle management and relationships.

## 1.2 System Virtualization Profile

Clause 6 is an autonomous profile that specifies the minimum top-level object model needed for the representation of host systems and the discovery of hosted virtual computer systems. In addition, it specifies a service for the manipulation of virtual computer systems and their resources, including operations for the creation, deletion, and modification of virtual computer systems and operations for the addition or removal of virtual resources to or from virtual computer systems.

## 1.3 Allocation Capabilities Profile

Clause 7 extends the management capability of referencing profiles by adding the ability to represent the default, supported and range of property values for resource allocation requests for a given resource, and the mutability of properties in a Resource Allocation Setting Data instance.

## 1.4 Processor Resource Virtualization Profile

Clause 8 is a component profile that extends the management capabilities of the specialized profiles by adding the support to represent and manage the allocation of processor resources to virtual systems.

## 1.5 Memory Resource Virtualization Profile

Clause 9 is a component DMTF management profile that extends the management capabilities of the referencing profile by adding the support to represent and manage the allocation of memory to virtual systems.

## 1.6 Storage Resource Virtualization Profile

Clause 10 is a component profile that extends the management capabilities of the referencing profile by adding the support to represent and manage the allocation of storage to virtual systems.

## 1.7 Ethernet Port Resource Virtualization Profile

Clause 11 is a component DMTF management profile that extends the management capabilities of the referencing profile by adding the support to represent and manage the allocation of Ethernet ports to virtual systems.

## 1.8 Virtual System Profile

Clause 12 is an autonomous profile that defines the minimum object model needed to provide for the inspection of a virtual system and its components. In addition, it defines optional basic control operations for activating, deactivating, pausing, or suspending a virtual system.

## 1.9 Generic Device Resource Virtualization Profile

Clause 13 is a concrete component profile that specializes the abstract Resource Allocation Profile described in clause 5 and the abstract [Allocation Capabilities Profile](#) described in clause 7.

Clause 13 is intended for use when a more specific resource allocation profile (for example, the [Processor Resource Virtualization Profile](#) described in clause 8, the [Memory Resource Virtualization Profile](#) described in clause 9, and so on) for common resource types has not yet been defined or approved, or when the device in question is an unusual device type for which no more specific profile exists.

## 1.10 Virtual Ethernet Switch Profile

Clause 14 is an autonomous DMTF management profile that defines the minimum object model needed to provide for the inspection of a virtualization system's internal Ethernet switch and its components.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated or versioned references, only the edition cited (including any corrigenda or DMTF update versions) applies. For references without a date or version, the latest published edition of the referenced document (including any corrigenda or DMTF update versions) applies.

DMTF, *CIM Schema 2.27*,  
<http://dmtf.org/standards/cim/schemas>

DMTF DSP0004, *CIM Infrastructure Specification 2.6*,  
[http://www.dmtf.org/standards/published\\_documents/DSP0004\\_2.6.pdf](http://www.dmtf.org/standards/published_documents/DSP0004_2.6.pdf)

DMTF DSP0200, *CIM Operations over HTTP 1.3*,  
[http://www.dmtf.org/standards/published\\_documents/DSP0200\\_1.3.pdf](http://www.dmtf.org/standards/published_documents/DSP0200_1.3.pdf)

DMTF DSP0201, *Specification for the Representation of CIM in XML 2.3.1*,  
[http://www.dmtf.org/standards/published\\_documents/DSP201.pdf](http://www.dmtf.org/standards/published_documents/DSP201.pdf)

DMTF DSP0207, *WBEM URI Mapping Specification 1.0*,  
[http://www.dmtf.org/standards/published\\_documents/DSP0207\\_1.0.pdf](http://www.dmtf.org/standards/published_documents/DSP0207_1.0.pdf)

DMTF DSP1001, *Management Profile Specification Usage Guide 1.0*,  
[http://www.dmtf.org/standards/published\\_documents/DSP1001\\_1.0.pdf](http://www.dmtf.org/standards/published_documents/DSP1001_1.0.pdf)

DMTF DSP1012, *Boot Control Profile 1.0*,  
[http://www.dmtf.org/standards/published\\_documents/DSP1012\\_1.0.pdf](http://www.dmtf.org/standards/published_documents/DSP1012_1.0.pdf)

DMTF DSP1014, *Ethernet Port Profile 1.0*,  
[http://www.dmtf.org/standards/published\\_documents/DSP1014\\_1.0.pdf](http://www.dmtf.org/standards/published_documents/DSP1014_1.0.pdf)

DMTF DSP1022, *CPU Profile 1.0*,  
[http://www.dmtf.org/standards/published\\_documents/DSP1022\\_1.0.pdf](http://www.dmtf.org/standards/published_documents/DSP1022_1.0.pdf)

DMTF DSP1026, *System Memory Profile 1.0*,  
[http://www.dmtf.org/standards/published\\_documents/DSP1026\\_1.0.pdf](http://www.dmtf.org/standards/published_documents/DSP1026_1.0.pdf)

DMTF DSP1027, *Power State Management Profile 1.0*,  
[http://www.dmtf.org/standards/published\\_documents/DSP1027\\_1.0.pdf](http://www.dmtf.org/standards/published_documents/DSP1027_1.0.pdf)

DMTF DSP1033, *Profile Registration Profile 1.0*,  
[http://www.dmtf.org/standards/published\\_documents/DSP1033\\_1.0.pdf](http://www.dmtf.org/standards/published_documents/DSP1033_1.0.pdf)

DMTF DSP1035, *Host LAN Network Port Profile 1.0*,  
[http://www.dmtf.org/standards/published\\_documents/DSP1035\\_1.0.pdf](http://www.dmtf.org/standards/published_documents/DSP1035_1.0.pdf)



DMTF DSP1052, *Computer System Profile 1.0*,  
[http://www.dmtf.org/standards/published\\_documents/DSP1052\\_1.0.pdf](http://www.dmtf.org/standards/published_documents/DSP1052_1.0.pdf)

DMTF DSP1053, *Base Metrics Profile 1.0*,  
[http://www.dmtf.org/standards/published\\_documents/DSP1053\\_1.0.pdf](http://www.dmtf.org/standards/published_documents/DSP1053_1.0.pdf)

DMTF DSP1054, *Indications Profile 1.0*,  
[http://www.dmtf.org/standards/published\\_documents/DSP1054\\_1.0.pdf](http://www.dmtf.org/standards/published_documents/DSP1054_1.0.pdf)

IETF RFC1738, *Uniform Resource Locators (URL)*, December 1994,  
<http://www.ietf.org/rfc/rfc1738.txt>

IETF RFC3986, *Uniform Resource Identifier (URI): Generic Syntax*,  
<http://tools.ietf.org/html/rfc3986>

IETF RFC5234, *ABNF: Augmented BNF for Syntax Specifications, January 2008*,  
<http://tools.ietf.org/html/rfc5234>

ISO/IEC Directives, Part 2, *Rules for the structure and drafting of International Standards*,  
<http://isotc.iso.org/livelink/livelink.exe?func=ll&objId=4230456&objAction=browse&sort=subtype>

SNIA SMI-S, *Storage Management Technical Specification 1.3*,  
[http://www.snia.org/tech\\_activities/standards/curr\\_standards/smi/SMI-S\\_Technical\\_Position\\_v1.3.0r5.zip](http://www.snia.org/tech_activities/standards/curr_standards/smi/SMI-S_Technical_Position_v1.3.0r5.zip)

NOTE This standard refers to the following clauses of SNIA SMI-S: 1.3, Part 2 *Common Profiles*:

Clause 6: *Generic Target Ports* profile 1.0

Clause 14: *Generic Initiator Ports* profile 1.0

This standard refers to the following clauses of SNIA SMI-S: 1.3, Part 3 *Block Devices*:

Clause 5: *Block Services* package 1.3

Clause 15: *Extent Composition* subprofile 1.2

This standard refers to the following clauses of SNIA SMI-S: 1.3, Part 6 *Host Elements*:

Clause 6: *Storage HBA* profile 1.3

Clause 7: *Host Discovered Resources* profile 1.2

NOTE All parts of the SNIA SMI-S Storage Management Technical Specification have been approved as American National Standards, under the designation INCITS 388-2011. All parts of the specification are available at the ANSI Electronic Standards Store (ESS) on the ANSI website, [www.ansi.org](http://www.ansi.org).